





EDEL

by destiny



EDEL

by **destiny**










R.1

# ALLUSION



# CLUNY





R.1



34595 R.1

DUCAL








34595 R.1



R.1



R.1

PLABER 



R.2

R.1

# URBAN



# MYSTERY





R.1

PULA 



R.1








R.1

DANIO 



R.1

EDEL








R.1



R.1

FIUME 



R.1 R.5



R.2

GRACE










R.1

LEO 

---



R.2 NISE 



R.2






R.1

SECRET SPARK





	ALLUSION	CLUNY
Composición / Composition / Composition / Composizione	100% Pes	100% Pes
Transmitancia / Transmittance / Transmission / Trasmittanza	53,00%	53,00%
Peso / Weight / Poids / Peso	309 gr/m <sup>2</sup>	110 gr/m <sup>2</sup>
Espesor / Thickness / Épaisseur / Spessore	0,36 mm	0,35 mm
Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione		
Resistencia a la luz / Light fastness / Résistance a la lumière / Resistente alla luce	>7 grade	>7 grade
Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma		
Ancho / Width / Laize / Larghezza	285 cm	285 cm
Mantenimiento / Maintenance / Maintient / Manutenzione		

### DUCAL

### PLABER

### URBAN

	DUCAL	PLABER	URBAN
Composición / Composition / Composition / Composizione	60% Polyester - 40% Vis	100% Pes	100% Pes
Transmitancia / Transmittance / Transmission / Trasmittanza			
Peso / Weight / Poids / Peso	107 gr/m <sup>2</sup>	260 gr/m <sup>2</sup>	141,5 gr/m <sup>2</sup>
Espesor / Thickness / Épaisseur / Spessore		0,30 mm	0,26 mm
Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione	urd 30h/78dctex-trama 29p- 1/40nm		
Resistencia a la luz / Light fastness / Résistance a la lumière / Resistente alla luce	>5 grade	>4-5 grade	
Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma			
Ancho / Width / Laize / Larghezza	275 cm	200 cm	280 cm
Mantenimiento / Maintenance / Maintient / Manutenzione			



	MYSTERY	PULA
Composición / Composition / Composition / Composizione	100% Pes	100% Pes
Transmitancia / Transmittance / Transmission / Trasmittanza	9,00%	28,00%
Peso / Weight / Poids / Peso	262 gr/m <sup>2</sup>	151 gr/m <sup>2</sup>
Espesor / Thickness / Épaisseur / Spessore	0,66 mm	0,39 mm
Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione		
Resistencia a la luz / Light fastness / Résistance a la lumière / Resistente alla luce	>5 grade	
Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma		
Ancho / Width / Laize / Larghezza	280 cm	260 cm
Mantenimiento / Maintenance / Maintient / Manutenzione		



## DANIO

## EDEL (nature)

	Composición / Composition / Composition / Composizione	100% Pes	100% Pes
	Transmitancia / Transmittance / Transmission / Trasmittanza	9,00%	40,00%
	Peso / Weight / Poids / Peso	172 gr/m <sup>2</sup>	113 gr/m <sup>2</sup>
	Espesor / Thickness / Épaisseur / Spessore	0,40 mm	0,6 mm
	Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione		
	Resistencia a la luz / Light fastness / Résistance a la lumière/ Resistente alla luce	>5 grade	>7-8 grade
	Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma		
	Ancho / Width / Laize / Larghezza	280 cm	280 cm
Mantenimiento / Maintenance / Maintient / Manutenzione			

## EDEL

## FIUME

## GRACE

	Composición / Composition / Composition / Composizione	100% Pes	100% Pes	100% Pes
	Transmitancia / Transmittance / Transmission / Trasmittanza	37,00%	9,00%	37,00%
	Peso / Weight / Poids / Peso	85 gr/m <sup>2</sup>	170,8 gr/m <sup>2</sup>	118 gr/m <sup>2</sup>
	Espesor / Thickness / Épaisseur / Spessore	0,42 mm	0,50 mm	0,48 mm
	Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione			
	Resistencia a la luz / Light fastness / Résistance a la lumière/ Resistente alla luce	>7 grade	>5 grade	>5 grade
	Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma			
	Ancho / Width / Laize / Larghezza	280 cm	280 cm	280 cm
Mantenimiento / Maintenance / Maintient / Manutenzione				

## LEO

## NISE

## SECRET SPARK

	Composición / Composition / Composition / Composizione	100% Pes	100% Pes	94% Pes - 6% Metalized fiber
	Transmitancia / Transmittance / Transmission / Trasmittanza	9,00%	9,00%	27,90%
	Peso / Weight / Poids / Peso	156 gr/m <sup>2</sup>	186 gr/m <sup>2</sup>	112 gr/m <sup>2</sup>
	Espesor / Thickness / Épaisseur / Spessore	0,46 mm	0,33 mm	0,23 mm
	Resistencia a la tracción / Tensile strenght / Résistance à la traction / Resistenza alla trazione			
	Resistencia a la luz / Light fastness / Résistance a la lumière/ Resistente alla luce	>5 grade	>5 grade	>4 grade
	Retardante al fuego / Fire resistant / Traitement ignifuge / Ritardante di Fiamma			
	Ancho / Width / Laize / Larghezza	280 cm	280 cm	280 cm
Mantenimiento / Maintenance / Maintient / Manutenzione				



destiny

[destinyanddesign.com](http://destinyanddesign.com)

